



CONFIGURE[®]

Contains 20 g/Litre 6-benzyladenine in the form of a suspension concentrate (SC).

A professional plant growth regulator for use in protected ornamental pot plants (*Phalaenopsis*, *Schlumbergera* and *Sempervivum*) to increase offsetting and flower production.

Product registration number: MAPP 17523, PCS 05917.

A plant growth regulator for ornamental plant shaping. Promotes cell division and suppresses apical dominance. Increases flower numbers, increases plant branching.

Phalaenopsis - increased flower stems are produced.

Schlumbergera - improvement in flowers and number of leaf segments.

Sempervivum - increased development of offsets.

Taken up through the leaf. Use only on plants that are well rooted.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work (UK only).

Use plant protection products safely. Always read the label and product information before use.

VERSION CONTROL

Version	Publication Date	Change from previous version
05/16	May-2016	New product.
03/18	March-2018	Revised label and addition of PCS registration.

CONFIGURE[®]

The following text is taken from the approved Product Label:

Contains 20 g/Litre 6-benzyladenine in the form of a suspension concentrate (SC).

A professional plant growth regulator for use in protected ornamental pot plants
(*Phalaenopsis*, *Schlumbergera* and *Sempervivum*)

To increase offsetting and flower production.

Product registration number: MAPP 17523, PCS 05917.

DIRECTIONS FOR USE

IMPORTANT: This information is authorised as part of the Product Label.

All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Depending on treatment positioning, CONFIGURE increases offsetting or promotes flowering in certain ornamental crops.

Plant response to CONFIGURE is strongly influenced by cultural and environmental variables. Growing media, water/fertilisation management, temperature, light, and other cultural practices may impact plant response. Plant size and cultivar or variety can also influence treatment response. Although multiple cultivars have been tested for sensitivity and selectivity to CONFIGURE and have demonstrated high levels of tolerance, it is impossible to insure an acceptable response in all cultivars. Use of CONFIGURE on a new ornamental crop or a new variety should always be tested first on a limited number of plants to determine crop response.

CONFIGURE should only be used on ornamental plants grown in pots under protection.

Apply CONFIGURE as a foliar spray using standard foliar application spray equipment. Apply CONFIGURE in a water volume of 1000 L/Ha with a uniform spray. Care must be taken to avoid spray drift to neighbouring plants. Apply when relative humidity is high enough to obtain good product penetration.

Apply at least 3 weeks after potting, when plants are actively growing, and make sure that roots are well developed at the time of treatment.

The safety of CONFIGURE when used on plants intended for propagation has not been assessed.

DOSES AND TIMING OF APPLICATION

Christmas and Easter cactus (*Schlumbergera sp.*)

To increase the number of flower buds under reproductive conditions, apply CONFIGURE at 5-10L/ha when flower buds become visible (pinpoint bud stage).

Phalaenopsis sp.

To increase the number of flower spikes, apply CONFIGURE one week after the start of cold induction at 5-40L/ha. The effect of an application at 5 L/ha is likely to be reduced or more variable compared to higher doses. Treat a small area first.

CONFIGURE may be used in combination with LI-700. Some transient residue may be seen on plants.

Sempervivum sp.

To increase offsetting, apply CONFIGURE at 2.5-40L/ha after roots are well established.

MIXING

Add the required amount of CONFIGURE to the half-filled sprayer tank whilst agitating. Fill the tank and continue agitation whilst spraying. Use the spray solution within 24 hours.

RINSING

Immediately after use, clean the spray equipment thoroughly. Dilute any spray solution remaining in the tank with at least 10 parts clean water and then spray onto treated plants. The tank should then be double rinsed (adding water until the tank is approximately 25% full) and spraying this solution on to treated plants.

A commercially available cleaning agent can be added to the rinse water if desired.

COMPATIBILITY

Do not mix CONFIGURE with other plant growth regulators, pesticides or fertilisers. Contact your technical advisor with any questions

SAFETY PRECAUTIONS

Operator Protection

Do not handle treated *Phalaenopsis* and *Sempervivum* or contaminated surfaces within 60 days of treatment.

Do not handle treated *Schlumbergera* or contaminated surfaces within 30 days of treatment.

Environmental Protection

Do not contaminate water with product or its container. (Do not clean application equipment near surface water/avoid contamination via drains from farmyards or roads). Treatment must only be made under 'permanent protection' situations which provide full enclosure (including continuous top and side barriers down to below ground level) and which are present and maintained over a number of years. Reasonable precautions must be taken to prevent access of birds, wild mammals and honey bees to treated crops. To minimise airborne environmental exposure, vents, doors and other openings must be closed during and after application until the applied product has fully settled.

Storage and Disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

Keep away from food, drink and animal feed stuffs.

WASH OUT CONTAINER THOROUGHLY, empty washings into spray tank and dispose of safely.

First Aid

If swallowed do not induce vomiting. For advice contact a doctor immediately and show the product label. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Do not scrub the skin. If splashed in the eyes, wash out immediately with water.

SPILLAGE: Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely according to national regulations.

IMPORTANT INFORMATION FOR USE ONLY AS A PLANT GROWTH REGULATOR		
Situations	Maximum individual dose	Maximum number of treatments
Ornamental plant production (in permanent protection with full enclosure).	40 litres product/ha OR 20 litres product/ha	1 per crop 3 per crop
<p>Other specific restriction CONFIGURE must only be used for <i>Phalaenopsis</i>, <i>Schlumbergera</i> and <i>Sempervivum</i> grown indoors in pots or containers.</p> <p>READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.</p>		

RISK AND SAFETY INFORMATION	
<p>Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one. May produce an allergic reaction.</p> <p>Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.</p> <p>To avoid risks to human health and the environment, comply with the instructions for use.</p>	<p>Keep out of reach of children.</p> <p>Collect spillage.</p> <p>Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed – empty containers which can be disposed of as non-hazardous waste.</p> <p style="text-align: right;">MAPP 17523 PCS 05917</p>

PRODUCT WARRANTY CONDITIONS AND LIMITATION OF LIABILITY

Fine Agrochemical Limited ("FINE") warrants that this product conforms to the specifications indicated on this label. FINE disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for a particular purpose.

It is impossible to eliminate all risks associated with this product. Plant injury, lack of performance, or other unintended consequences may result because of factors such as abnormal weather conditions, presence of other materials, the manner of application, use of the product other than in strict accordance with this label's instructions or other factors, all of which are beyond the control of FINE or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the buyer.

We particularly draw attention of the buyer to the fact that results depend on a number of external factors such as the sensitivity of specific crop varieties. Other important factors which may impact product performance are growing media, water/fertilisation management, temperature, light and other cultural practices.

FINE's liability under this label shall be limited to the amount of the purchase price or, at the election of FINE, the free replacement of the product. FINE disclaims any liability whatsoever for special, incidental or consequential damages resulting from the handling or use of this product.

MANUFACTURED BY

Fine Agrochemicals Limited.

Hill End House, Whittington, Worcester, WR5 2RQ

Tel: +44 (0) 1905 361800

Fax: +44 (0) 1905 361810

enquire@fine.eu

www.fine.eu

®CONFIGURE is a registered trademark of Fine Agrochemicals Limited.

24 Hour National Poisons Information Service UK -Tel: 0844 8920111

Ireland - Tel: 01-8379964.

Pack size: 500ml Outers of: 12

Safety data sheet available on request.

Distributed by Fargro Limited.

Tel: 01903 721591 info@fargro.co.uk

© 2016-2018 Copyright of Fargro and its suppliers.