

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 3-7-2017 Supersedes: 17-5-2013 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : RHIZOPON AA 1% POWDER

Product group : Trade product

Other means of identification : Authorisation No. 14982 N

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : Plant growth regulator that promotes root formation.

Title	Use descriptors
RHIZOPON AA 1% POWDER	SU3, SU22, PC27

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Rhizopon B.V.
Rijndijk 263a
P.O. Box 2400 AH Alphen aan den Rijn
2394 CE Hazerswoude-Rijndijk - The Netherlands
T + 31(0) 71 3415146 - F + 31(0) 71 3415829
info@rhizopon.com - www.rhizopon.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request

EUH401 - To avoid risks to human health and the environment, comply with the instructions for

use

Extra phrases : SP1 Do not contaminate water with the product or its container.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Mentioned percentages are in (w/w %)

27-7-2017 EN (English) 1/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Talc (Mg3H2(SiO3)4)	(CAS-No.) 14807-96-6 (EC-No.) 238-877-9 (REACH-no) 01-2120140278-58	> 50	Not classified
4-(indol-3-yl)butyric acid	(CAS-No.) 133-32-4 (EC-No.) 205-101-5	1	Acute Tox. 4 (Oral), H302 Repr. 2, H361fd

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: In all cases of doubt, or when symptoms persist, seek medical attention.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical attention.

First-aid measures after skin contact

: Wash skin with plenty of water and soap. If skin irritation or rash occurs: Get medical $% \left(1\right) =\left(1\right) \left(1\right$

advice/attention.

First-aid measures after eye contact

Immediately rinse with water for a prolonged period while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Get medical advice/attention.

First-aid measures after ingestion

: Never give anything by mouth to an unconscious person. Rinse mouth with water. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of

: Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting

fire

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. For a large spillage, contain the spillage by bunding.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Ventilate area. Dust deposited may be vacuum cleaned. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Knock down dust with water spray jet. After cleaning, flush traces away with water.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Use only outdoors or in a well-ventilated area.

27-7-2017 EN (English) 2/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store under dry

conditions. Keep away from food, drink and animal feedingstuffs. Original packaging.

Storage temperature : 10 - 20 °C

Packaging materials : Polypropylene. Polyethylene.

7.3. Specific end use(s)

No supplementary information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Talc (Mg3H2(SiO3)4) (14807-96-6)		
United Kingdom	Local name	Talc
United Kingdom	WEL TWA (mg/m³)	1 mg/m³ respirable dust
United Kingdom	Regulatory reference	EH40. HSE

DNEL/DMEL (Workers) Acute - systemic effects, inhalation	Talc (Mg3H2(SiO3)4) (14807-96-6)		
Acute - local effects, inhalation Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation Long-term - systemic effects, inhalation Long-term - local effects, inhalation DNEL/DMEL (General population) Acute - systemic effects, inhalation Acute - systemic effects, oral Acute - local effects, inhalation Long-term - systemic effects, oral Acute - local effects, inhalation Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, inhalation Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - local effects, dermal Long-term - local effects, inhalation 1,8 mg/m³ Long-term - local effects, dermal 2,27 mg/cm² Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation Long-term - local effects, inhalation 2,16 mg/m³ Long-term - local effects, inhalation 3,6 mg/m³ DNEL/DMEL (General population) Acute - systemic effects, inhalation 1,08 mg/m³ Acute - systemic effects, oral 160 mg/kg bodyweight Acute - local effects, inhalation 1,8 mg/m³ Long-term - systemic effects, oral 160 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1,08 mg/m³ Long-term - systemic effects, inhalation 1,08 mg/m³ Long-term - local effects, dermal 2,27 mg/cm² Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	Acute - systemic effects, inhalation	2,16 mg/m ³	
Long-term - local effects, dermal 4,54 mg/m³ Long-term - systemic effects, inhalation 2,16 mg/m³ Long-term - local effects, inhalation 3,6 mg/m³ DNEL/DMEL (General population) Acute - systemic effects, inhalation 1,08 mg/m³ Acute - systemic effects, oral 160 mg/kg bodyweight Acute - local effects, inhalation 1,8 mg/m³ Long-term - systemic effects, oral 160 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1,08 mg/m³ Long-term - systemic effects, inhalation 1,08 mg/m³ Long-term - local effects, dermal 21,6 mg/kg bodyweight/day Long-term - local effects, dermal 2,27 mg/cm² Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	Acute - local effects, inhalation	3,6 mg/m³	
Long-term - systemic effects, inhalation 2,16 mg/m³ Long-term - local effects, inhalation 3,6 mg/m³ DNEL/DMEL (General population) Acute - systemic effects, inhalation 1,08 mg/m³ Acute - systemic effects, oral 160 mg/kg bodyweight Acute - local effects, inhalation 1,8 mg/m³ Long-term - systemic effects,oral 160 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1,08 mg/m³ Long-term - systemic effects, inhalation 1,08 mg/m³ Long-term - systemic effects, dermal 21,6 mg/kg bodyweight/day Long-term - local effects, dermal 2,27 mg/cm² Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	Long-term - systemic effects, dermal	43,2 mg/kg bodyweight/day	
Long-term - local effects, inhalation 3,6 mg/m³ DNEL/DMEL (General population) Acute - systemic effects, inhalation 1,08 mg/m³ Acute - systemic effects, oral 160 mg/kg bodyweight Acute - local effects, inhalation 1,8 mg/m³ Long-term - systemic effects, oral 160 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1,08 mg/m³ Long-term - systemic effects, inhalation 1,08 mg/m³ Long-term - local effects, dermal 21,6 mg/kg bodyweight/day Long-term - local effects, dermal 2,27 mg/cm² Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	Long-term - local effects, dermal	4,54 mg/m³	
DNEL/DMEL (General population) Acute - systemic effects, inhalation 1,08 mg/m³ Acute - systemic effects, oral 160 mg/kg bodyweight Acute - local effects, inhalation 1,8 mg/m³ Long-term - systemic effects,oral 160 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1,08 mg/m³ Long-term - systemic effects, inhalation 1,08 mg/m³ Long-term - local effects, dermal 21,6 mg/kg bodyweight/day Long-term - local effects, dermal 2,27 mg/cm² Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	Long-term - systemic effects, inhalation	2,16 mg/m³	
Acute - systemic effects, inhalation 1,08 mg/m³ Acute - systemic effects, oral 160 mg/kg bodyweight Acute - local effects, inhalation 1,8 mg/m³ Long-term - systemic effects, oral 160 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1,08 mg/m³ Long-term - systemic effects, inhalation 21,6 mg/kg bodyweight/day Long-term - local effects, dermal 2,27 mg/cm² Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	Long-term - local effects, inhalation	3,6 mg/m³	
Acute - systemic effects, oral 160 mg/kg bodyweight Acute - local effects, inhalation 1,8 mg/m³ Long-term - systemic effects, oral 160 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1,08 mg/m³ Long-term - systemic effects, dermal 21,6 mg/kg bodyweight/day Long-term - local effects, dermal 2,27 mg/cm² Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	DNEL/DMEL (General population)		
Acute - local effects, inhalation Long-term - systemic effects, oral Long-term - systemic effects, inhalation 1,8 mg/m³ Long-term - systemic effects, inhalation 1,08 mg/m³ Long-term - systemic effects, dermal 21,6 mg/kg bodyweight/day Long-term - local effects, dermal 2,27 mg/cm² Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	Acute - systemic effects, inhalation	1,08 mg/m³	
Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - local effects, dermal Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 160 mg/kg bodyweight/day 21,6 mg/kg bodyweight/day	Acute - systemic effects, oral	160 mg/kg bodyweight	
Long-term - systemic effects, inhalation Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - local effects, dermal Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 1,08 mg/m³ 2,27 mg/cm² 1,8 mg/m³ PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water)	Acute - local effects, inhalation	1,8 mg/m³	
Long-term - systemic effects, dermal Long-term - local effects, dermal 2,27 mg/cm² Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	Long-term - systemic effects,oral	160 mg/kg bodyweight/day	
Long-term - local effects, dermal Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	Long-term - systemic effects, inhalation	1,08 mg/m³	
Long-term - local effects, inhalation 1,8 mg/m³ PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	Long-term - systemic effects, dermal	21,6 mg/kg bodyweight/day	
PNEC (Water) PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	Long-term - local effects, dermal	2,27 mg/cm ²	
PNEC aqua (freshwater) 597,97 mg/l PNEC aqua (marine water) 141,26 mg/l	Long-term - local effects, inhalation	1,8 mg/m³	
PNEC aqua (marine water) 141,26 mg/l	PNEC (Water)		
	PNEC aqua (freshwater)	597,97 mg/l	
PNEC agua (intermittent freshwater) 597.97 mg/l	PNEC aqua (marine water)	141,26 mg/l	
1 NEO aqua (intermittent, meshwater) 351,51 mg/r	PNEC aqua (intermittent, freshwater)	597,97 mg/l	
PNEC aqua (intermittent, marine water) 141,26 mg/l	PNEC aqua (intermittent, marine water)	141,26 mg/l	
PNEC (Sediment)			
PNEC sediment (freshwater) 31,33 mg/kg dwt	PNEC sediment (freshwater)	31,33 mg/kg dwt	
PNEC sediment (marine water) 3,13 mg/kg dwt	PNEC sediment (marine water)	3,13 mg/kg dwt	

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Hand protection:

In case of repeated or prolonged contact wear gloves. Recommendation: Wear suitable gloves tested to EN374. Suitable material: Nitrile rubber (NBR), Neoprene. Layer thickness: No data available. Breakthrough time: refer to the recommendations of the supplier. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Use eye protection according to EN 166, designed to protect powders and dusts

Skin and body protection:

Wear suitable protective clothing. Overall.

27-7-2017 EN (English) 3/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Provide sufficient air exchange and/or exhaust. Dust production: dust mask with filter type P2. particle filter device (DIN EN 143)







Other information:

Do not eat, drink or smoke when using this product. Always wash your hands immediately after handling this product, and once again before leaving the workplace.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powder.
Colour : Light grey.
Odour : odourless.
Odour threshold : No data available

pH : 9 - 11,5

Relative evaporation rate (butylacetate=1) : No data available

Melting point : Contains 4-(indol-3-yl)butyric acid, which melts from 121°C.

Freezing point : Not applicable
Boiling point : No data available

Flash point : > 93 °C

Auto-ignition temperature : Not applicable

Decomposition temperature : No data available

Flammability (solid, gas) : Non flammable

Vapour pressure : 0,01 mPa @20°C (4-(indol-3-yl)butyric acid)

Relative vapour density at 20 °C : No data available
Relative density : Not applicable
Density : 0,72 g/ml

Solubility : Water: insoluble in water (14,7 g/l @ pH7 20°C (4-(indol-3yl)butyric acid))

Log Pow : No data available
Viscosity, kinematic : Not applicable
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Avoid creating or spreading dust.

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

27-7-2017 EN (English) 4/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
4-(indol-3-yl)butyric acid (133-32-4) LD50 oral	1925 g/kg mouse	
LD50 dermal rat	>= 750 mg/kg	
Talc (Mg3H2(SiO3)4) (14807-96-6)	7 - 100 mg ng	
LD50 oral rat	3870 - 5000 mg/kg	
LD50 dermal rat	2000 mg/kg	
LC50 inhalation rat (mg/l)	2,1 mg/l/4h	
Skin corrosion/irritation	: Not classified	
	pH: 9 - 11,5	
Serious eye damage/irritation	: Not classified	
	pH: 9 - 11,5	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
,		
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse	
20010gy general	effects in the environment.	
Acute aquatic toxicity	: Not classified	
Chronic aquatic toxicity	: Not classified	
, ,		
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout)	
4-(indol-3-yl)butyric acid (133-32-4)		
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout)	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp)	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp)	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6)	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l]	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1)	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1) 12.2. Persistence and degradability	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1) 12.2. Persistence and degradability RHIZOPON AA 1% POWDER	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l 7,203 g/l	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1) 12.2. Persistence and degradability RHIZOPON AA 1% POWDER Persistence and degradability	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1) 12.2. Persistence and degradability RHIZOPON AA 1% POWDER Persistence and degradability 12.3. Bioaccumulative potential	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l 7,203 g/l	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1) 12.2. Persistence and degradability RHIZOPON AA 1% POWDER Persistence and degradability 12.3. Bioaccumulative potential RHIZOPON AA 1% POWDER	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l 7,203 g/l Potentially biodegradable.	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1) 12.2. Persistence and degradability RHIZOPON AA 1% POWDER Persistence and degradability 12.3. Bioaccumulative potential RHIZOPON AA 1% POWDER Bioaccumulative potential	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l 7,203 g/l	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1) 12.2. Persistence and degradability RHIZOPON AA 1% POWDER Persistence and degradability 12.3. Bioaccumulative potential RHIZOPON AA 1% POWDER Bioaccumulative potential Talc (Mg3H2(SiO3)4) (14807-96-6)	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l 7,203 g/l Potentially biodegradable. Bioaccumulation unlikely.	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1) 12.2. Persistence and degradability RHIZOPON AA 1% POWDER Persistence and degradability 12.3. Bioaccumulative potential RHIZOPON AA 1% POWDER Bioaccumulative potential Talc (Mg3H2(SiO3)4) (14807-96-6) Log Pow	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l 7,203 g/l Potentially biodegradable.	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1) 12.2. Persistence and degradability RHIZOPON AA 1% POWDER Persistence and degradability 12.3. Bioaccumulative potential RHIZOPON AA 1% POWDER Bioaccumulative potential Talc (Mg3H2(SiO3)4) (14807-96-6) Log Pow 12.4. Mobility in soil	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l 7,203 g/l Potentially biodegradable. Bioaccumulation unlikely.	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1) 12.2. Persistence and degradability RHIZOPON AA 1% POWDER Persistence and degradability 12.3. Bioaccumulative potential RHIZOPON AA 1% POWDER Bioaccumulative potential Talc (Mg3H2(SiO3)4) (14807-96-6) Log Pow 12.4. Mobility in soil RHIZOPON AA 1% POWDER	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l 7,203 g/l Potentially biodegradable. Bioaccumulation unlikely. -9,4 @ 25 °C and pH 7	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1) 12.2. Persistence and degradability RHIZOPON AA 1% POWDER Persistence and degradability 12.3. Bioaccumulative potential RHIZOPON AA 1% POWDER Bioaccumulative potential Talc (Mg3H2(SiO3)4) (14807-96-6) Log Pow 12.4. Mobility in soil	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l 7,203 g/l Potentially biodegradable. Bioaccumulation unlikely.	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1) 12.2. Persistence and degradability RHIZOPON AA 1% POWDER Persistence and degradability 12.3. Bioaccumulative potential RHIZOPON AA 1% POWDER Bioaccumulative potential Talc (Mg3H2(SiO3)4) (14807-96-6) Log Pow 12.4. Mobility in soil RHIZOPON AA 1% POWDER	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l 7,203 g/l Potentially biodegradable. Bioaccumulation unlikely. Bioaccumulation unlikely. No supplementary information available.	
4-(indol-3-yl)butyric acid (133-32-4) LC50 fishes LC50 fish 2 EC50 Daphnia Talc (Mg3H2(SiO3)4) (14807-96-6) LC50 fishes EC50 Daphnia EC50 72h algae (1) 12.2. Persistence and degradability RHIZOPON AA 1% POWDER Persistence and degradability 12.3. Bioaccumulative potential RHIZOPON AA 1% POWDER Bioaccumulative potential Talc (Mg3H2(SiO3)4) (14807-96-6) Log Pow 12.4. Mobility in soil RHIZOPON AA 1% POWDER Ecology - soil	> 90,5 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout) 186 mg/l 96 h, Cyprinus carpio (Carp) 57 mg/l EC50 48h - Daphnia magna [mg/l] 89,581 - 110 g/l 36,812 g/l 7,203 g/l Potentially biodegradable. Bioaccumulation unlikely. Bioaccumulation unlikely. No supplementary information available.	

27-7-2017 EN (English) 5/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

RHIZOPON AA 1% POWDER

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

European List of Waste (LoW) code : 06 10 00 - wastes from the MFSU of nitrogen chemicals, nitrogen chemical processes and

fertiliser manufacture

SECTION 14: Transport information

In accordance with ADR / IATA / IMDG / RID

ADR	IMDG	IATA	RID	
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping nan	14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Indication of changes:

Revised safety data sheet in accordance with commisssion regulation (EU) No 2015/830.

Abbreviations and acronyms:

27-7-2017 EN (English) 6/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

Data sources

: ECHA (European Chemicals Agency).

Other information

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:

I dil text of 11- and Lot 1-statements.	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Repr. 2	Reproductive toxicity, Category 2
H302	Harmful if swallowed
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child
EUH210	Safety data sheet available on request
EUH401	To avoid risks to human health and the environment, comply with the instructions for use
PC27	Plant Protection products
SU22	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
SU3	Industrial uses: Uses of substances as such or in preparations* at industrial sites

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

27-7-2017 EN (English) 7/7